

小型浄化槽新旧一覧（合併）

																2025/3/12作成	
機種名	処理方式	人槽	発売時期 (和暦)	発売時期 (西暦)	終了時期 (和暦)	終了時期 (西暦)	マンホール枚数（樹脂製）						汚泥引き抜き (㎡)	必要風量 (L/分)	備考		
							φ250	φ450				φ500				φ600	700 × 1000
								478mm	492mm	497mm	502mm						
KI(60)	分離接触ばっ気	5	S59.3	1984.3	H7.9	1995.9								2,106	60		
		6					1				1	2,539	80				
		8									2	3,023	80				
		10									2	3,506	80				
KI(20)	分離接触ばっ気	5	S59.3	1984.3	H7.9	1995.9					1	2	2,539	60			
		6	S60.1	1985.1						2	3,023	80					
		8	S58.5	1983.5							3,506	80					
		9	S81.12	S81.12			1	3	4,020	120							
LX	嫌気ろ床接触ばっ気	5	S58.10	1984.10	H7.5	1995.5							2	2,106	60		
		6	S59.4	1984.4							2	2,539	80				
		7	S58.11	1983.11							2	3,023	80				
		8	S58.9	1983.9							2	3,506	80				
LC	嫌気ろ床接触ばっ気	5	S60.1	1985.1	H5.1	1993.1							2	2,188	100		
		6	H3.2	1991.2							1	0.873	60				
		7	H2.9	1990.9							2	1,115	60				
		8	H2.7	1990.7							1	1,475	80				
LP	嫌気ろ床接触ばっ気	5	H2.9	1990.9	H2.9	1990.9							2	2,182	100		
		6	H5.7	1993.7							2	0.796	60				
		7	H5.2	1993.2							2	1,072	60				
		8	H5.6	1993.6							1	1,439	80				
LO II	嫌気ろ床接触ばっ気	5	H12.7	2000.7	H12.7	2000.7							3	1,459	80		
		6	H8.1	1996.1							2	2,074	100				
		7									1	0.843	60				
		8									2	1,115	60				
LR	水位変動流量調整型嫌気好気循環ろ床	5	H5.3	1993.3	H8.2	1996.2							1	0.843	60	(ばっ気用) (循環専用)	
		6											2	1,115	60		
		7											1	1,434	80		
		8											2	1,619	80		
R	水位変動流量調整型嫌気好気循環ろ床	5	H8.2	1996.2	H8.11	1996.11							2	2,182	100		
		6											1	0.558	30		
		7											1	0.702	60		
		8											2	0.833	80		
CR	水位変動流量調整型嫌気好気循環ろ床	5	H9.1	1997.1	H10.10	1998.10							2	1,032	80	(ばっ気用) (循環用) (移送用)	
		6											3	1,326	100		
		7											2	0.919	40		
		8											1	0.653	30		
CS	担体流動生物濾過	5	H10.8	1998.8	H18.12	2006.12							1	0.653	30		
		6											1	0.776	80		
		7											2	0.981	80		
		8											3	1,235	100		
LK	嫌気ろ床接触ばっ気	5	H10.8	1998.8	H18.12	2006.12							2	1,453	80	(担体用) (移送用)	
		6											2	1,799	40		
		7											1	2,100	40		
		8											2	2,376	40		
RX	嫌気ろ床接触ばっ気	5	H10.8	1998.8	H18.12	2006.12							1	2,588	40	専用 タイマー	
		6											2	2,958	40		
		7											4	4,286	100		
		8											4	4,762	120		
CRN	水位変動流量調整型嫌気好気循環ろ床	5	H14.3	1998.1	H14.3	2002.3							2	0.519	80	(ばっ気用) (移送用)	
		6											1	0.653	30		
		7											2	0.776	100		
		8											1	0.981	100		
CRX	流量調整型嫌気濾床・担体流動生物濾過	5	H14.4	2002.2	H14.4	2002.2							2	0.981	100	(担体・担体用) (担体・担体用)	
		6											3	1,235	120		
		7											2	1,453	40		
		8											1	1,799	40		
CD	流量調整型嫌気濾床・担体流動生物濾過にリン除去装置を加えた	5	H14.3	2002.3	H24.3	2012.3							2	0.928	30	専用 タイマー	
		6											3	1,381	30		
		7											2	1,826	30		
		8											1	2,100	30		
CE	流量調整型固液分離嫌気濾床担体流動循環	5	H14.3	2002.3	H29.3	2017.3							2	0.928	30	専用 タイマー	
		6											3	1,381	30		
		7											2	1,826	30		
		8											1	2,100	30		
CF	接触ろ床	5	H18.3	2006.3	H20.12	2008.12							2	1,029	60		
		6											3	1,447	80		
		7											2	2,127	120		
		8											3	2,500	80		
CF II	沈殿分離・嫌気ろ床・好気循環方式	5	H18.8	2006.8	H28.3	2016.3							1	1,500	60		
		6											2	2,140	80		
		7											1	3,000	80		
		8											1	3,000	80		
CF II	沈殿分離・嫌気ろ床・好気循環方式	5	H22.10	2010.10	H24.3	2012.3							1	0.975	70	専用 タイマー	
		6											2	1,345	100		
		7											1	1,945	126		
		8											1	1,945	126		
CEN	接触ろ床	5	H24.3	2012.3	販売中	販売中							2	2,100	45		
		6											1	3,000	64		
		7											2	4,219	87		
		8											2	0.917	60		
CA	接触ろ床	5	H27.4	2015.4	販売中	販売中							2	1,289	90		
		6											3	1,843	110		
		7											2	2,100	45		
		8											1	3,000	64		
CENeco	接触ろ床	5	H27.4	2015.4	販売中	販売中							2	2,100	45	専用 タイマー	
		6											1	3,000	64		
		7											2	4,219	87		
		8											2	0.917	60		
CRX II	接触ろ床方式にリン除去装置を加えた方式	5	H28.11	2016.11	販売中	販売中							2	2,100	45		
		6											1	3,000	64		
		7											2	4,219	87		
		8											2	0.917	60		
CEND	接触ろ床	5	R7.4	2025.4	販売中	販売中							2	2,109	60		
		6											1	3,000	64		
		7											2	4,219	87		
		8											2	0.917	60		
CENDeco	接触ろ床	5	R7.4	2025.4	販売中	販売中							2	2,109	60	専用 タイマー	
		6											1	3,000	64		
		7											2	4,219	87		
		8											2	0.917	60		

※マンホール枚数は本体のみに なります。